


## KLS a KLR Redukce spojek

pro slané vodiče



Materiál: galvanicky pocínovaná měď

| Průřez vodiče [mm <sup>2</sup> ]<br>od do | Označení        | s <sub>1</sub><br>[mm] | d <sub>1</sub><br>[mm] | s <sub>2</sub><br>[mm] | d <sub>2</sub><br>[mm] | l<br>[mm] | l <sub>1</sub><br>[mm] | Lisovací čelisti | Lisovací nářadí   |
|---|-----------------|------------------------|------------------------|------------------------|------------------------|-----------|------------------------|------------------|---|
| 16  | 10 KLR 16-10    | 1,5                    | 5,5                    | 1,2                    | 4,5                    | 28        | 30                     | 8-7              |   |
| 25  | 10 KLR 25-10    | 1,5                    | 7                      | 1,2                    | 4,5                    | 30        | 32                     | 10-7             |   |
|   | 16 KLR 25-16    |                        |                        | 1,5                    | 5,5                    | 34        | 36                     | 10-8             |   |
| 35  | 10 KLR 35-10    | 1,75                   | 8,5                    | 1,2                    | 4,5                    | 32        | 34                     | 12-7             |   |
|   | 16 KLR 35-16    |                        |                        | 1,5                    | 5,5                    | 36        | 38                     | 12-8             |   |
|   | 25 KLR 35-25    |                        |                        | 1,5                    | 7                      | 39        | 41                     | 12-10            |   |
| 50  | 10 KLR 50-10    | 2                      | 10                     | 1,2                    | 4,5                    | 34        | 36                     | 14-7             |   |
|   | 16 KLR 50-16    |                        |                        | 1,5                    | 5,5                    | 38        | 40                     | 14-8             |   |
|   | 25 KLR 50-25    |                        |                        | 1,5                    | 7                      | 41        | 43                     | 14-10            |   |
|   | 35 KLR 50-35    |                        |                        | 1,75                   | 8,5                    | 45        | 47                     | 14-12            |   |
| 70  | 16 KLR 70-16    | 2,25                   | 12                     | 1,5                    | 5,5                    | 40        | 42                     | 16-8             |   |
|   | 25 KLR 70-25    |                        |                        | 1,5                    | 7                      | 43        | 45                     | 16-10            |   |
|   | 35 KLR 70-35    |                        |                        | 1,75                   | 8,5                    | 47        | 49                     | 16-12            |   |
|   | 50 KLR 70-50    |                        |                        | 2                      | 10                     | 50        | 52                     | 16-14            |   |
| 95  | 25 KLR 95-25    | 2,25                   | 13,5                   | 1,5                    | 7                      | 47        | 49                     | 17-10            |   |
|   | 35 KLR 95-35    |                        |                        | 1,75                   | 8,5                    | 51        | 53                     | 17-12            |   |
|   | 50 KLR 95-50    |                        |                        | 2                      | 10                     | 54        | 56                     | 17-14            |   |
|   | 70 KLR 95-70    |                        |                        | 2,25                   | 12                     | 58        | 60                     | 17-16            |   |
| 120                                       | 35 KLR 120-35   | 2,25                   | 15,5                   | 1,75                   | 8,5                    | 52        | 54                     | 19-12            | PR50, PR120, PR150, PR240,<br>R50, GU120, H120S-U, HR100-U,<br>GU300, HR300, GO300, HRZ300, GZ300, EPZ300 |
|   | 50 KLR 120-50   |                        |                        | 2                      | 10                     | 55        | 57                     | 19-14            |   |
|   | 70 KLR 120-70   |                        |                        | 2,25                   | 12                     | 59        | 61                     | 19-16            |   |
|   | 95 KLR 120-95   |                        |                        | 2,25                   | 13,5                   | 65        | 67                     | 19-17            |   |
| 150                                       | 50 KLR 150-50   | 2,25                   | 17                     | 2                      | 10                     | 59        | 61                     | 20-14            |   |
|   | 70 KLR 150-70   |                        |                        | 2,25                   | 12                     | 63        | 65                     | 20-16            |   |
|   | 95 KLR 150-95   |                        |                        | 2,25                   | 13,5                   | 69        | 71                     | 20-17            |   |
|   | 120 KLR 150-120 |                        |                        | 2,25                   | 15,5                   | 71        | 73                     | 20-19            |   |
| 185                                       | 70 KLR 185-70   | 2,5                    | 19                     | 2,25                   | 12                     | 63        | 65                     | 23-16            |   |
|   | 95 KLR 185-95   |                        |                        | 2,25                   | 13,5                   | 69        | 71                     | 23-17            |   |
|   | 120 KLR 185-120 |                        |                        | 2,25                   | 15,5                   | 71        | 73                     | 23-19            |   |
|   | 150 KLR 185-150 |                        |                        | 2,25                   | 17                     | 77        | 79                     | 23-20            |   |
| 240                                       | 95 KLR 240-95   | 2,5                    | 21,5                   | 2,25                   | 13,5                   | 74        | 76                     | 25-17            |   |
|   | 120 KLR 240-120 |                        |                        | 2,25                   | 15,5                   | 76        | 78                     | 25-19            |   |
|   | 150 KLR 240-150 |                        |                        | 2,25                   | 17                     | 82        | 84                     | 25-20            |   |
|   | 185 KLR 240-185 |                        |                        | 2,5                    | 19                     | 84        | 86                     | 25-23            |   |
| 300                                       | 120 KLR 300-120 | 3                      | 24,5                   | 2,25                   | 15,5                   | 85        | 87                     | 30-19            |   |
|   | 150 KLR 300-150 |                        |                        | 2,25                   | 17                     | 91        | 93                     | 30-20            |   |
|   | 185 KLR 300-185 |                        |                        | 2,5                    | 19                     | 93        | 95                     | 30-23            |   |
|   | 240 KLR 300-240 |                        |                        | 2,5                    | 21,5                   | 100       | 102                    | 30-25            |   |

Výroba jiných rozměrů než jsou uvedené v tabulce – na poptávku.

Pevný konektor – označení KLS, např. KLS 16-10.

